



Dr. Alan Lloyd
Secretary for
Environmental
Protection

California Regional Water Quality Control Board

Los Angeles Region

Recipient of the 2001 *Environmental Leadership Award* from Keep California Beautiful

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>



Arnold Schwarzenegger
Governor

Mr. Steven W. Hightner
Los Angeles County Sanitation District
1955 Workman Mill Road
Whittier, CA 90601

WATER QUALITY CERTIFICATION FOR PROPOSED COMPTON CREEK TRUNK SEWER REHABILITATION PROJECT (Corps' Project No. 2006-00789-KW), COMPTON CREEK, CITY OF COMPTON, LOS ANGELES COUNTY (File No. 06-037)

Dear Mr. Hightner:

Regional Board staff has reviewed your request on behalf of Los Angeles County Sanitation District for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on April 25, 2006.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo, Lead, Section 401 Program, at (213) 576-6759.

[Original signed by]
Jonathan S. Bishop
Executive Officer

May 4, 2006
Date

California Environmental Protection Agency



Recycled Paper

Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

DISTRIBUTION LIST

Oscar Balaguer
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Betty Courtney
California Department of Fish and Game
Streambed Alteration Team
4949 View Ridge Avenue
San Diego, CA 92123

Kenneth Wong
U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Steven John
U.S. Environmental Protection Agency
600 Wilshire Boulevard, Suite 1460
Los Angeles, CA 90017

Tim Vendlinski
Supervisor, Wetlands Regulatory Office (WTR-8)
US EPA, Region 9
75 Hawthorne
San Francisco, CA 94105

Ken Berg
U.S. Fish and Wildlife Service
6010 Hidden Valley Road
Carlsbad, CA 92009

ATTACHMENT A

Project Information File No. 06-037

1. Applicant: Los Angeles County Sanitation District
1955 Workman Mill Road
Whittier, CA 90601

Phone: (562) 699-7411x2711 Fax: (562) 695-1874
2. Applicant's Agent: David Pendley
3. Project Name: Compton Creek Trunk Sewer Rehabilitation
4. Project Location: Compton, Los Angeles County
Longitude: 118° 14' 31"; Latitude: 33° 54' 13"
Longitude: 118° 14' 41"; Latitude: 33° 54' 27"
Longitude: 118° 14' 42"; Latitude: 33° 54' 26"
5. Type of Project: Sewer line repair
6. Project Description:
Purpose:
The purpose of the proposed project is to rehabilitate an existing sewer that is cracked and needs to be repaired.

Description:
The project will require the placement of two 18-inch diameter HDPE sewage bypass lines in Compton Creek while the rehabilitation work occurs on the sewer line. The project will place up to 1,840 linear feet of piping on a temporary basis within the channel. At the widest, it will be 3 feet wide. The application details the alignment through Compton Creek roughly between Rosecrans Avenue and 136th Street in Compton. In addition, a cofferdam will be placed downstream of the project site that would have an opening to allow normal flows to pass through, but could be sealed in the unlikely event of an emergency spill.

The project schedule has been proposed from April 2006 through October 2007. Although the work will not last more than a couple of months, the contractor is required to complete the work during the dry season.

ATTACHMENT A

Project Information File No. 06-037

- | | |
|--|---|
| 7. Federal Agency/Permit: | U.S. Army Corps of Engineers
NWP No. 12 (Permit No. 2006-00789-KW) |
| 8. Other Required Regulatory Approvals: | California Department of Fish and Game
Streambed Alteration Agreement |
| 9. California Environmental Quality Act Compliance: | The proposed project is Categorically Exempt from CEQA pursuant to the CEQA Guidelines, Section 15302 (Replacement or Reconstruction). |
| 10. Receiving Water: | Compton Creek (Hydrologic Unit No. 405.15) |
| 11. Designated Beneficial Uses: | MUN*, GWR, REC-1, REC-2, WARM, WILD
*Conditional beneficial use |
| 12. Impacted Waters of the United States: | Non-wetland waters (concrete lined channel): 0.13 temporary acres (1,840 linear feet) |
| 13. Dredge Volume: | None |
| 14. Related Projects Implemented/to be Implemented by the Applicant: | Joint Outfall "G" Units 3, 4, 5 and 6 Trunk Sewer Rehabilitation was recently completed where an existing sewer was rehabilitated. |
| 15. Avoidance/Minimization Activities: | <p>The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:</p> <ul style="list-style-type: none">• Construction equipment will not be stored within the channel and all fueling will be conducted outside of the channel.• To the extent feasible, the work conducted within the channel will be minimized. |

ATTACHMENT A

Project Information File No. 06-037

- The contractor will be required to remove all construction materials when rain is forecasted.
- A cofferdam will be placed downstream of the construction activities to capture sewage flows in the unlikely event of an emergency spill and a vacuum truck will be brought in to clean up the site.

16. Proposed
Compensatory
Mitigation:

The Applicant has not proposed any compensatory mitigation due to the temporary nature of impacts associated with the project and the location of the project within a concrete lined channel.

Since the project impacts are temporary in nature, the Regional Board will not require any additional compensatory mitigation.

17. Required
Compensatory
Mitigation:

See Attachment B Conditions of Certifications, Additional Conditions for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 06-037

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' Section 404 Permit and the California Department of Fish and Game's Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 15, are incorporated as additional conditions herein.

ATTACHMENT B

Conditions of Certification File No. 06-037

5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, the approved maintenance plan, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.
6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment, which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact Rodney Nelson, Land Disposal Unit, at (213) 620-6119 for further information.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.

ATTACHMENT B

Conditions of Certification File No. 06-037

12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State. If rain is predicted, grading activities must cease immediately and the site must be stabilized to prevent impacts to water quality, and minimize erosion and runoff from the site.
14. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste. Sufficient time should be allowed to obtain any such permits (generally 180 days). If groundwater is encountered without the benefit of appropriate permits, the Applicant shall cease all activities in the areas where groundwater is present, file a Report of Waste Discharge to this Regional Board, and obtain any necessary permits prior to discharging waste.
15. All project/maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
16. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** to this Regional Board. The plan shall include the proposed method and duration of diversion activities, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for pH, temperature, dissolved oxygen, turbidity, and total suspended solids shall be implemented. These constituents shall be monitored on a **daily** basis during the first week of diversion activities, and then on a **weekly** basis, thereafter, until the in-stream work is complete. Results of the analyses shall be submitted to this Regional Board by the **15th** day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Any such

ATTACHMENT B

Conditions of Certification File No. 06-037

- violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.
17. The Applicant shall restore all areas of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
 18. The Applicant shall submit to this Regional Board a **Final Project Report** by **January 1st** of the year following project completion. The report shall describe in detail all of the project/construction activities performed during the previous year and all restoration efforts. This report shall include as a minimum, the following documentation:
 - (a) Color photo documentation of the pre- and post-project site conditions;
 - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
 - (c) The overall status of project including a detailed schedule of work;
 - (d) Copies of all permits revised as required in Additional Condition 1;
 - (e) Water quality monitoring results (as required) compiled in an easy to interpret format;
 - (f) A certified Statement of “no net loss” of wetlands associated with this project;
 - (g) Discussion of any monitoring activities and exotic plant control efforts; and
 - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
 19. Prior to any subsequent maintenance activities within the project areas, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the existing condition/capacity; (c) the area of proposed temporary impact within waters of the State; (c) a description of any existing aquatic resources (e.g., wetland/riparian vegetation); and (d) any proposed compensatory mitigation. Notifications must be submitted a minimum of **three (3) weeks** prior to commencing work activities.

Conditions of Certification
File No. 06-037

21. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

Executed on the _____ day of _____ at _____.

22. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **06-037**. Submittals shall be sent to the attention of the 401 Certification Unit.
23. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
24. The project shall comply with the local regulations associated with the Regional Board's **Municipal Stormwater Permit** issued to Los Angeles County and co-permittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. 01-182. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from

ATTACHMENT B

Conditions of Certification File No. 06-037

new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 99-08-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.

25. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
26. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
27. *Enforcement:*
 - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
 - (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.

ATTACHMENT B

Conditions of Certification File No. 06-037

- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
28. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.